

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/619,512 07/16/2003		07/16/2003	Ji Hwan Keum	1670.1009	7512
49455	7590	08/17/2006		EXAMINER	
STEIN, MC	EWEN &	& BUI, LLP	BUEKER, RICHARD R		
1400 EYE S	ΓREET, N	1W			
SUITE 300			ART UNIT	PAPER NUMBER	
WASHINGTON DC 20005				1763	

DATE MAILED: 08/17/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

<u>\$</u>		Application No.	Applicant(s)			
		10/619,512	KEUM ET AL.			
	Office Action Summary	Examiner	Art Unit			
		Richard Bueker	1763			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
WHIC - Exter after - If NO - Failu Any	ORTENED STATUTORY PERIOD FOR REPL CHEVER IS LONGER, FROM THE MAILING D nsions of time may be available under the provisions of 37 CFR 1. SIX (8) MONTHS from the mailing date of this communication. In period for reply is specified above, the maximum statutory period re to reply within the set or extended period for reply will, by statution reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be timwill apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status						
2a)⊠	Since this application is in condition for allowa	s action is non-final. ance except for formal matters, pro				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims					
5)□ 6)⊠ 7)□	Claim(s) 1-26 and 32-35 is/are pending in the 4a) Of the above claim(s) is/are withdra Claim(s) is/are allowed.  Claim(s) 1-26 and 32-35 is/are rejected.  Claim(s) is/are objected to.  Claim(s) are subject to restriction and/or	wn from consideration.				
Applicati	on Papers					
10)	The specification is objected to by the Examine The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Example 1.	cepted or b) objected to by the E drawing(s) be held in abeyance. See ction is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority u	ınder 35 U.S.C. § 119					
a)[	Acknowledgment is made of a claim for foreign All b) Some * c) None of:  1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureasee the attached detailed Office action for a list	ts have been received. ts have been received in Application trity documents have been receive tu (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachmen	t(s)					
1) 🔯 Notice 2) 🔲 Notice 3) 🔲 Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa				

Application/Control Number: 10/619,512 Page 2

Art Unit: 1763

Claims 4 and 14 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Applicants' specification as originally filed did not disclose an embodiment in which an inner member was suspended from an upper edge of the main body and also supported by a fixing portion which extends downward from the baffle board as now claimed in claims 4 and 14. Applicants have argued that claims 4 and 14 have not been amended from their original as-filed form. It is noted, however, that a dependent claim includes all of the limitations of the independent claim from which it depends. Therefore, claims 4 and 14 have been amended because the independent claims from which they depend have been amended. Applicants are respectfully requested to point out where in their specification as originally filed support can be found for claims 4 and 14 as now written, in which an inner member is suspended from an upper edge of the main body and also supported by a fixing portion which extends downward from the baffle board.

The Adams and Tanabe references have been removed from the rejections to reduce the issues for consideration and because their teachings relied on were cumulative to the other cited references. Also, the rejections based on Witzman as a primary reference have been removed to reduce the issues for consideration and because these rejections relied on were cumulative to the other stated rejections.

Art Unit: 1763

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-20, 22-26 and 32-34 are rejected under 35 U.S.C. 103(a) as obvious over Shen (2,793,609) taken in view of Dlouhy (German 2612424) and/or Spahn (6,237,529). Shen (Figs. 1-3) discloses a heating crucible for a deposition apparatus comprising a main body having a space for receiving a coating material to be vaporized and a nozzle for discharging vapor onto a substrate intended to be coated, and an inner member such as a baffle board which has one or more openings formed around its edge in the same manner as illustrated in applicants' Fig. 4, for example. The claim 1 limitation of "which receives an organic compound" is a recitation of intended use of the claimed apparatus and the present apparatus claims are not limited to use with any one

Art Unit: 1763

particular type of coating material. The apparatus of Shen has an inherent capability of being used with an organic compound of the type recited in applicants' recitation of intended use. Regarding the limitation of the inner member being suspended from an upper edge of the main body, it would have been obvious to suspend the inner member of Shen in this manner because Dlouhy and Spahn teach that an inner member can successfully be supported in a crucible by suspending it from an upper edge of the main body of the crucible.

Regarding the newly added limitation of the claimed inner member "having one or more openings, which are formed in the surface having the area that faces the nozzle and whose edges are defined by the surface and an inner wall of the main body", it is noted that applicants' specification discloses two different embodiments of their inner member, as shown in Figs. 2 and 4 of their specification. In the Fig. 2 embodiment, openings 31 extend into the outer edge of the baffle board 32. In the Fig. 4 embodiment, a single opening extends around the baffle board 32. At page 6, lines 16-19 of their specification, applicants describe their Fig. 4 as follows:

The openings 31 can be continuously or discontinuously formed around the edge of the baffle board 32. For example, Fig. 4 shows that the openings 31 are linked together along the edge of the baffle board 32, and the fixing portion 33 extends downward from a bottom surface of the baffle board 32.

This description teaches that the Fig. 4 baffle board 32 is formed by first forming openings 31 into the baffle board 32 and then linking the openings 31. In order to "link" the openings 31 further baffle board material must be removed in the those edge

Application/Control Number

Art Unit: 1763

portions of the baffle board 32 that are located between the openings 31. According to page 6, lines 16-19 of the specification, the continuous opening 31 of Fig. 4 is "formed in" the surface of the baffle board 32, because it is formed by removing portions of the baffle board 32. Thus, it appears that applicants intend for the newly added limitation quoted above to include the Fig. 4 embodiment. Therefore, this new limitation appears to read on the baffle board 7 of Fig. 1 of Shen and the baffle board 30 of Fig. 4 of Spahn. The openings around the baffle board 7 of Shen and around the baffle board 30 of Spahn are inherently capable of being formed by removing portions of the baffle board in a manner analogous to that indicated by applicants at page 6, lines 16-19 of their specification.

Claims 4 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shen (2,793,609) taken in view of Dlouhy (German 2612424) and/or Spahn (6,237,529) in view of Witzman (6,202,591). Shen doesn't disclose the use of a fixing member that extends downward from his baffle. Witzman (Fig. 2B), however, teaches that a fixing portion that extends downward can successfully support a baffle. It would have been prima facie obvious to provide the baffle plate of Spahn with a fixing portion that extends downward because Witzman teaches that a vapor coating process can be successfully performed by supporting a baffle in that manner.

Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Shen (2,793,609) taken in view of Dlouhy (German 2612424) and/or Spahn (6,237,529) for the reasons stated above, and taken in further view of Tiedje (5,944,903) (see Fig. 6). It would have been obvious to one skilled in the art to provide the vaporizing crucible of

Art Unit: 1763

Shen with a temperature-sensing unit because Tiedje teaches that a vapor deposition process can desirably be more accurately controlled by measuring the crucible temperature.

Claims 1-3, 5-13, 15-20, 22-25 and 32-36 are rejected under 35 U.S.C. 102(b) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Spahn (6,237,529). Spahn (Figs. 1-9) discloses a heating crucible for an OEL deposition apparatus comprising a crucible having a main body having a space for receiving OEL material to be vaporized, a nozzle orifice for directing vaporized OEL material onto a substrate to be coated, and as inner baffle member installed within the main body having one or more openings formed around the edge of the inner baffle member. Also, each of Taguchi (5,272,298) (see Figs. 1a and 1b, col. 2, lines 48-53 and col. 3, lines 35-41, for example) and Nakagiri (JP 02-290963) (Figs. 1-3 and abstract) are cited of interest to show that an evaporation crucible orifice of the type disclosed by Spahn is recognized and known in the prior art as a nozzle. Therefore, Taguchi and Nakagiri provide evidence that one skilled in the art would consider the orifice of Spahn's apparatus to inherently or at least obviously be a nozzle. Also, Spahn's inner member is suspended from an upper edge of the main body as now claimed, because it is part of the cap which is suspended from an upper edge of the main body.

Regarding the newly added limitation of the claimed inner member "having one or more openings, which are formed in the surface having the area that faces the nozzle and whose edges are defined by the surface and an inner wall of the main body", the

Art Unit: 1763

comments included above in the rejection based on Shen also apply to the rejection based on Spahn.

Regarding claims 35 and 36, Spahn (see Figs. 7 and 8, for example) discloses the use of a crucible having a cylindrical wall.

Claims 4 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Spahn (6,237,529) in view of Witzman (6,202,591). Spahn doesn't disclose the use of a fixing member that extends downward from his baffle. Witzman (Fig. 2B), however, teaches that a fixing portion that extends downward can successfully support a baffle. It would have been prima facie obvious to provide the baffle plate of Spahn with a fixing portion that extends downward because Witzman teaches that a vapor coating process can be successfully performed by supporting a baffle in that manner.

Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Spahn (6,237,529) taken in view of Van Slyke (2003/0101937) (paragraph 53). It would have been obvious to one skilled in the art to provide the vaporizing crucible of Spahn with a temperature-sensing unit because Van Slyke teaches that an OEL vapor deposition process can desirably be more accurately controlled by measuring the crucible temperature.

If for the sake of argument, the newly added limitation of the claimed inner member "having one or more openings, which are formed in the surface having the area that faces the nozzle and whose edges are defined by the surface and an inner wall of the main body" were not considered to be met by the teaching of Shen or Spahn as

Art Unit: 1763

described in the above rejections, the claims would still be unpatentable in view of the new rejections stated below.

Claims 1, 2, 4-12, 14-20, 22-26 and 34 are rejected under 35 U.S.C. 102(b) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Yamanishi (JP 61-156809). Yamanishi (see Figs. 2(a) and 2(b), for example) discloses a heating crucible for forming a deposition film in a vacuum deposition chamber. The crucible includes a jetting nozzle 3a defined in an upper wall of the crucible and an inner member 4. The inner member 4 includes a surface having an area facing the nozzle 3a, and is suspended from an upper edge 1b of the crucible. The inner member has one or more openings 5 that are formed in the surface having the area that faces the nozzle, and the edges of the openings are defined by the surface and an inner wall of the crucible. Also, the upper wall of the crucible is perpendicular to a transmission direction of vaporized coating material that passes through the openings. The claim 1 limitation of "which receives an organic compound" is a recitation of intended use of the claimed apparatus and the present apparatus claims are not limited to use with any one particular type of coating material. The apparatus of Yamanishi has an inherent capability of being used with an organic compound of the type recited in applicants' recitation of intended use.

Claims 3 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamanishi (JP 61-156809) taken in view of Dlouhy (German 2612424) or Spahn (6,237,529). Regarding the limitation of the inner member comprising a fixing portion which extends upward from the baffle board and supports the baffle board, it would

Art Unit: 1763

have been obvious to provide the baffle board of Yamanishi with fixing portions that extend upward, because Dlouhy and Spahn teach that a baffle board can successfully be supported in a crucible by suspending it from an upper edge of the main body of the crucible using upwardly extending fixing members.

Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yamanishi (JP 61-156809) in view of Tiedje (5,944,903) (see Fig. 6). It would have been obvious to one skilled in the art to provide the vaporizing crucible of Yamanishi with a temperature-sensing unit because Tiedje teaches that a vapor deposition process can desirably be more accurately controlled by measuring the crucible temperature.

Claims 32 and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Spahn (6,237,529) taken in view of Yamanishi (JP 61-156809). Spahn discloses a method of producing an organic EL device by using a heating crucible having a nozzle 22 defined in an upper wall of the crucible and an inner member comprising a baffle board 30. Spahn teaches that the purpose of the baffle board is to prevent particulates or droplets of the material to be vaporized from reaching the nozzle outlet. Yamanishi (see Figs. 2(a) and 2(b), for example) teaches an alternate baffle board design that is intended for the same purpose as Spahn's baffle board, which is to prevent unvaporized droplets from reaching a crucible outlet nozzle. It would have been obvious to one skilled in the art to use a baffle board of the type taught by Yamanishi in a crucible that was used to vaporize organic EL materials for vacuum coating processes as taught by Spahn, because one skilled in the art would have expected the alternate, functionally equivalent baffle board of Yamanishi to successfully prevent unvaporized particles and

Application/Control Number: 10/619,512 Page 10

Art Unit: 1763

droplets from reaching a crucible outlet nozzle when the coating material is an organic EL material of the type taught by Spahn.

Claims 35 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Spahn (6,237,529) taken in view of Yamanishi (JP 61-156809) for the reasons stated in the rejection stated above, and taken in further view of Mashita (JP 60-043480). Spahn discloses (see Figs. 7 and 8) a cylindrical crucible having a nozzle defined in an upper wall of the crucible, and having an internal baffle board to prevent unvaporized material particles and droplets from reaching the nozzle outlet. Both of Yamanishi (see Figs. 2(a) and 2(b), for example) and Mashita (see abstract and Figs. 1-4) teach the use of baffle boards for preventing spitting, in which openings are formed in the periphery of the baffle board between the edge of the baffle board and the crucible wall. Mashita in particular teaches that the baffle board can be round in order to fit in a cylindrical crucible such as in Fig. 4 of Mashita and Fig. 7 of Spahn. It would have been obvious to one skilled in the art to provide a cylindrical crucible of the type shown in Fig. 7 of Spahn with the baffle board 3 of Fig. 3 of Mashita because one skilled in the art would have expected the alternate, functionally equivalent baffle board of Mashita to successfully prevent unvaporized particles and droplets from reaching the cylindrical crucible outlet nozzle of Fig. 7 of Spahn.

Applicants have argued that "since the baffle member 30 of Spahn is separated from chamber wall 206, the borders of the openings taught by Spahn cannot possibly be defined by the chamber walls 206, as claimed". In response to this argument, it is respectfully pointed out that wall 206 of Spahn is the wall of the vacuum deposition

chamber (see Fig. 4 of Spahn) and the wall 206 is not part of the heating crucible. It is noted that the "inner wall of the main body" recited in claim 1, for example, refers to crucible sidewalls 12 and 14 of Spahn, rather than vacuum chamber wall 206 as argued by applicants.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Richard Bueker whose telephone number is (571) 272-1431. The examiner can normally be reached on 9 AM - 5:30 PM, Monday-Friday.

Application/Control Number: 10/619,512 Page 12

Art Unit: 1763

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Parvis Hassanzadeh can be reached on (571) 272-1435. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Richard Bueker Primary Examiner

Art Unit 1763